


# Emergency light bulbs



Camping



Emergency




Night work



It's a normal light bulb when it's properly powered. It will automatically switch to battery power when power failure, and automatically charge the battery when the power is restored.

Hooks without or with switch can be provided, usually without switch. Hooks without switch are provided free of charge for driver model, but not for DOB model.



**DOB:** integrated power supply. It is cheap but cannot withstand large voltage fluctuations.  
**Driver:** separated power supply. It is expensive but can withstand 4KV surges.



**B22:** pin type.  
**E27:** screw type.  
 B22 and E27 are available.

## Model :P920



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
20W	12.5W	D78*160mm	PP	E27/B22	33PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	800mAh*2	2-3H	100PCs	41*41*65cm	18kg

## Model :P921



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
20W	12.5W	D78*160mm	PP	E27/B22	28PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	1200mAh*2	2-3H	100PCs	41*41*65cm	18kg

## Model:Y15



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
15W	13.5W	D78*160mm	PBT+PP	E27/B22	28PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	1200mAh*2	4-5H	100PCs	41*41*65cm	22kg

## Model:Y15-2



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
20W	13.5W	D78*160mm	PP	E27/B22	28PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	1200mAh*2	4-5H	100PCs	41*41*65cm	22kg



## Model : Y3920



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
20W	13.5W	D78*160mm	PBT+PP	E27/B22	28PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	1200mAh*2	4-5H	100PCs	41*41*65cm	22kg

## Model : Y3830



Labeled power	Actual power	Size	Material	Lamp holder	LED QTY
30W	18W	D102*142mm	PBT+PP	E27/B22	58PCs
Voltage	Battery	Discharge time	Packing QTY	Carton size	Gross weight
AC90-265V	1500mAh*2	7-8H	60PCs	54.5*33*33cm	18.5kg

## Model: Y5020/5040/5060/5080



	Y5020	Y5040	Y5060	Y5080
Voltage	AC90-265V			
Material	PBT			
Lamp holder	E27/B22			
CCT	8000K-9000K			
Labeled power	20W	40W	60W	80W
Actual power	13W	18W	22W	27W
AC luminous	891LM	1306LM	1769LM	2568LM
DC luminous	381LM	577LM	709LM	886LM
Folded size	D95*100mm	D105*110mm	D115*115mm	D130*125mm
Developed size	D95*125mm	D105*142mm	D115*150mm	D130*165mm
LED quantity	38PCs	46PCs	63PCs	92PCs
Battery quantity	1PCs	2PCs	3PCs	4PCs
Battery capacity	1500mAh	3000mAh	4500mAh	6000mAh
Discharge time	3H	5H	6H	6H
Charging time	3-4H	3-4H	3-4H	3-4H
Packing quantity	100PCs	60PCs	50PCs	40PCs
Carton size	49*49*46cm	54.5*33*48cm	61*61*25.5cm	68.5*55*28cm
Gross weight	19.2kg	15.3kg	18.4kg	19.2kg

# Model:DC5021/5041/5061/5081



	DC5021	DC5041	DC5061	DC5081
Voltage	DC5V			
Charging port	Type-C			
Material	PBT			
CCT	8000K-9000K			
Strong luminous	375LM	577LM	794LM	843LM
Weak luminous	194LM	295LM	406LM	427LM
Folded size	D95*105mm	D105*115mm	D115*125mm	D130*135mm
Developed size	D95*135mm	D105*150mm	D115*160mm	D130*170mm
LED quantity	18PCs	24PCs	30PCs	40PCs
Battery quantity	1PCs	2PCs	3PCs	4PCs
Battery capacity	1500mAh	3000mAh	4500mAh	6000mAh
Discharge time(Strong)	4H	7H	8H	8H
Discharge time(Weak)	12H	12H	12H	12H
Discharge time(Flash)	8H	8H	8H	8H
Charging time	3-4H	3-4H	3-4H	3-4H
Packing quantity	100PCs	60PCs	50PCs	40PCs
Carton size	49*49*47cm	54.5*33*50cm	61*61*27.5cm	68.5*55*29.5cm
Gross weight	20.5kg	16kg	19.6kg	20.5kg



# Camping lamps



**Barbecue**



**Camping**



**Emergency**



**Night work**



Recyclable



Long endurance



USB charging



Portable hook



Waterproof



Highlight LED

## Model : XK-6300



Size	Charging port	Material	LED QTY	Battery
D160*66mm	Type-C	PBT	124PCs	1800mAh*3
Discharge time	Charging time	Packing quantity	Carton size	Gross weight
6-7H	3-4H	50PCs	84*36*36cm	17.6kg

## Model : XK-8030



Size	Charging port	Material	LED QTY	Battery
D97*73mm	DC3.5	ABS	51	1500mAh
Discharge time	Charging time	Packing quantity	Carton size	Gross weight
4-5H	3-4H	100PCs	52*42*42.5cm	18.6kg



## Model:XC60/XC90



	XC60	XC90
Voltage		DC5V
Charging port		Type-C
Material		PP
CCT		8000K-9000K
Folded size	D100*55mm	D125*60mm
Developed size	D100*80mm	D125*95mm
LED quantity	42PCs	70PCs
Battery quantity	1PCs	2PCs
Battery capacity	1200mAh	2400mAh
Discharge time	5-6H	6-8H
Charging time	3-4H	3-4H
Packing quantity	60PCs	40PCs
Carton size	53*42.5*32cm	53*40*35cm
Gross weight	15.5kg	15.5kg

# Model: XJT30/60/90



	XJT30	XJT60	XJT90
Voltage	DC5V		
Charging port	Micro USB		
Material	PP		
CCT	8000K-9000K		
Size	D115*67mm	D135*78mm	D154*87mm
LED quantity	58PCs	68PCs	79PCs
Battery quantity	1PCs	2PCs	3PCs
Battery capacity	2000mAh	4000mAh	6000mAh
Discharge time	3-4H	5-6H	7-8H
Charging time	3-4H	3-4H	3-4H
Packing quantity	100PCs	60PCs	40PCs
Carton size	61*49*40.5cm	57*43*44.5cm	64.5*33*49.5cm
Gross weight	19kg	17.8kg	15kg

# Model: XJ2-50/100/150



	XJ2-50	XJ2-100	XJ2-150
Voltage		DC5V	
Charging port		Type-C	
Material		PP	
CCT		8000K-9000K	
Size	D120*57mm	D140*60mm	D160*65mm
LED quantity	42PCs	74PCs	110PCs
Battery quantity	1PCs	2PCs	3PCs
Battery capacity	1800mAh	3600mAh	5400mAh
Level 1 (Strong)	800LM-4H	1149LM-5H	1616LM-6H
Level 2 (Middel)	394LM-6H	563LM-6H	783LM-6H
Level 3 (Weak)	186LM-8H	215LM-8H	291LM-8H
Charging time	3-4H	3-4H	3-4H
Packing quantity	100PCs	60PCs	40PCs
Carton size	64*51*34.5cm	59*45*35.5cm	67*34.5*37.5cm
Gross weight	18.3kg	15.6kg	14kg



# Model: XK-3100/3120/3140



	XK-3100-Magnet	XK-3100	XK-3200	XK-3400
Voltage	DC5V			
Charging port	Type-C			
Material	PP			
CCT	8000K-9000K			
Size	D100*65mm	D100*65mm	D125*75mm	D140*80mm
LED quantity	30PCs	30PCs	60PCs	72PCs
Battery quantity	1PCs	1PCs	2PCs	3PCs
Battery capacity	1200mAh	1200mAh	2400mAh	3600mAh
Discharge time	2-3H	2-3H	3-4H	4-5H
Charging time	3-4H	3-4H	3-4H	3-4H
Packing quantity	100PCs	100PCs	60PCs	40PCs
Carton size	54*36.5*44.5cm	54*36.5*44.5cm	53*41*41cm	59*45*30.5cm
Gross weight	14.5kg	14.5kg	14.8kg	12.4kg

# Model:T8150/T8300



	T8150		T8300	
Voltage	DC5V			
Charging port	Type-C			
Material	ABS+Glass			
CCT	8000K-9000K			
Size	200*157*50mm		255*213*52mm	
LED quantity	176PCs		360PCs	
Battery quantity	3PCs		4PCs	
Battery capacity	5400mAh		7200mAh	
Level 1 (6000K)	1071LM	6H	1450LM	7H
Level 2 (3000K)	1035LM	5H	1300LM	6H
Level 3 (4000K)	1200LM	4H	1530LM	5H
Level 4 (Flashlight)	59LM	10H	60LM	10H
Charging time	3-4H		3-4H	
Packing quantity	20PCs		10PCs	
Carton size	44.5*32*35.5cm		46.5*32*28.5cm	
Gross weight	17.2kg		13.2kg	

## Model:NG100/NG200



	NG100		NG200	
Voltage	DC5V			
Charging port	Type-C			
Material	ABS+PS			
CCT	8000K-9000K			
Size	D140*72mm		D160*76mm	
LED quantity	80PCs		100PCs	
Battery quantity	3PCs		4PCs	
Battery capacity	3600mAh		4800mAh	
Level 1 (6000K)	652LM	6H	840LM	7H
Level 2 (3000K)	652LM	5H	834LM	6H
Level 3 (4000K)	895LM	4H	1192LM	5H
Level 4 (Flashlight)	47LM	10H	50LM	10H
Charging time	3-4H		3-4H	
Packing quantity	60PCs		40PCs	
Carton size	58*44*40.5cm		65*33.5*42cm	
Gross weight	21.5kg		19.5kg	




# Panel lights




Embedded mounting




Surface mounting




6000K  
White light



4000K  
Neutral light



3000K  
Warm white



Dimensional measurement specification



Highlight LED chip

## Model: YL-MB01



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
3W	Aluminum	2835-15D	120lm	D82mm	D75mm	100	48.5*30*26cm
6W	Aluminum	2835-30D	270lm	D116mm	D105mm	100	63.5*30*31cm
9W	Aluminum	2835-45D	500lm	D143mm	D135mm	40	60*36.5*22cm
12W	Aluminum	2835-60D	600lm	D168mm	D155mm	40	60*36.5*22cm
15W	Aluminum	2835-75D	825lm	D190mm	D175mm	30	69*30*27cm
18W	Aluminum	2835-90D	1080lm	D220mm	D200mm	30	69*30*27cm
24W	Aluminum	2835-120D	1560lm	D295mm	D280mm	20	62*30*34cm

## Model: YL-MB02



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
3W	Aluminum	2835-15D	120lm	90*90mm	75*75mm	100	48.5*30*26cm
6W	Aluminum	2835-30D	270lm	120*120mm	105*105mm	100	63.5*30*31cm
9W	Aluminum	2835-45D	500lm	145*145mm	135*135mm	40	60*36.5*22cm
12W	Aluminum	2835-60D	600lm	168*168mm	155*155mm	40	60*36.5*22cm
15W	Aluminum	2835-75D	825lm	190*190mm	175*175mm	30	69*30*27cm
18W	Aluminum	2835-90D	1080lm	220*220mm	205*205mm	30	69*30*27cm
24W	Aluminum	2835-120D	1560lm	292*292mm	280*280mm	20	62*30*34cm

## Model: YL-MB03



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Aluminum	2835-30D	270lm	D110*24mm	---	100	62.5*34*26cm
12W	Aluminum	2835-60D	600lm	D160*24mm	---	40	35*34*36cm
18W	Aluminum	2835-90D	1080lm	D205*24mm	---	30	51*44*23cm
24W	Aluminum	2835-120D	1560lm	D280*24mm	---	20	59*34*30.5cm


## Model: YL-MB04



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Aluminum	2835-30D	270lm	110*110*24mm	---	100	62.5*34*26cm
12W	Aluminum	2835-60D	600lm	160*160*24mm	---	40	35*34*36cm
18W	Aluminum	2835-90D	1080lm	205*205*24mm	---	30	51*44*23cm
24W	Aluminum	2835-120D	1560lm	280*280*24mm	---	20	59*34*30.5cm



## Model: YL-MB07



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
9W	Iron	2835-46D	770lm	D85mm	D70mm	100	48.5*47*20.5cm
12W	Iron	2835-56D	850lm	D100mm	D85mm	100	57.5*47*24cm
18W	Iron	2835-90D	1550lm	D120mm	D105mm	60	47*40.5*28cm
24W	Iron	2835-120D	2160lm	D170mm	D155mm	40	47*37*38cm
32W	Iron	2835-180D	2790lm	D225mm	D205mm	30	70.5*47*24.5cm
36W	Iron	2835-252D	3250lm	D225mm	D205mm	30	70.5*47*24.5cm
48W	Iron	2835-240D	3460lm	D300mm	D285mm	20	62*47*32cm

## Model: YL-MB08



Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
9W	Iron	2835-46D	770lm	85*85mm	70*70mm	100	48.5*47*20.5cm
12W	Iron	2835-60D	850lm	100*100mm	85*85mm	100	57.5*47*24cm
18W	Iron	2835-90D	1550lm	120*120mm	105*105mm	60	47*40.5*28cm
24W	Iron	2835-144D	2160lm	170*170mm	155*155mm	40	47*37*38cm
32W	Iron	2835-216D	2790lm	225*225mm	205*205mm	30	70.5*47*24.5cm
36W	Iron	2835-288D	3250lm	225*225mm	205*205mm	30	70.5*47*24.5cm
48W	Iron	2835-336D	3460lm	300*300mm	285*285mm	20	62*47*32cm

## Model: YL-MB09




Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
18W	Iron	2835-90D	1440lm	D120*45mm	---	60	54*39.5*27.5cm
24W	Iron	2835-120D	1920lm	D170*45mm	---	40	54*37*38cm
32W	Iron	2835-180D	2790lm	D225*45mm	---	30	72*54*25cm
36W	Iron	2835-252D	2880lm	D225*45mm	---	30	72*54*25cm
48W	Iron	2835-240D	3840lm	D300*45mm	---	20	64*54*33cm

## Model: YL-MB010




Watt	Material	LED QTY	Luminous	Lamp Size	Hole Size	PCs/CTN	Carton Size
18W	Iron	2835-90D	1440lm	120*120*45mm	---	60	54*39.5*27.5cm
24W	Iron	2835-144D	1920lm	170*170*45mm	---	40	54*37*38cm
32W	Iron	2835-216D	2790lm	225*225*45mm	---	30	72*54*25cm
36W	Iron	2835-288D	2880lm	225*225*45mm	---	30	72*54*25cm
48W	Iron	2835-336D	3840lm	300*300*45mm	---	20	64*54*33cm

## Model: YL-MB11



Watt	Material	White	Color/RGB	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Iron	3W	3W	D105mm	D75mm	100	57.5*40*24cm
9W	Iron	6W	3W	D145mm	D105mm	50	77.5*38*17cm
16W	Iron	12W	4W	D195mm	D155mm	30	61.5*38*22cm
24W	Iron	18W	6W	D245mm	D210mm	20	51*40*27cm
36W	Iron	24W	12W	D320mm	D285mm	20	66*40*34.5cm

## Model: YL-MB12



Watt	Material	White	Color/RGB	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Iron	3W	3W	105*105mm	75*75mm	100	57.5*40*24cm
9W	Iron	6W	3W	145*145mm	105*105mm	50	77.5*38*17cm
16W	Iron	12W	4W	195*195mm	155*155mm	30	61.5*38*22cm
24W	Iron	18W	6W	245*245mm	210*210mm	20	51*40*27cm
36W	Iron	24W	12W	320*320mm	285*285mm	20	66*40*34.5cm

## Model: YL-MB13



Watt	Material	White	Color/RGB	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Iron	3W	3W	D105*34mm	---	100	57.5*40*24cm
9W	Iron	6W	3W	D145*34mm	---	50	77.5*38*17cm
16W	Iron	12W	4W	D195*34mm	---	30	61.5*38*22cm
24W	Iron	18W	6W	D245*34mm	---	20	51*40*27cm
36W	Iron	24W	12W	D320*34mm	---	20	66*40*34.5cm

## Model: YL-MB14



Watt	Material	White	Color/RGB	Lamp Size	Hole Size	PCs/CTN	Carton Size
6W	Iron	3W	3W	105*105*34mm	---	100	57.5*40*24cm
9W	Iron	6W	3W	145*145*34mm	---	50	77.5*38*17cm
16W	Iron	12W	4W	195*195*34mm	---	30	61.5*38*22cm
24W	Iron	18W	6W	245*245*34mm	---	20	51*40*27cm
36W	Iron	24W	12W	320*320*34mm	---	20	66*40*34.5cm