



| Model      | Watt | Size         | Lumens   | Voltage   | PF    | Warranty  |
|------------|------|--------------|----------|-----------|-------|-----------|
| YL624-200W | 200W | 390*460*55MM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL624-300W | 300W | 480*460*55MM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL624-400W | 400W | 570*460*55MM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL624-500W | 500W | 660*460*55MM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |



| Model      | Watt | Size          | Lumens   | Voltage   | PF    | Warranty  |
|------------|------|---------------|----------|-----------|-------|-----------|
| YL622-50W  | 50W  | 340*220*76CM  | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-100W | 100W | 340*220*156CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-150W | 150W | 340*220*236CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-200W | 200W | 340*220*316CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-250W | 250W | 340*220*396CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-300W | 300W | 340*220*472CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-400W | 400W | 660*260*316CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |
| YL622-500W | 500W | 660*260*396CM | ≥120LM/W | 85-265VAC | ≥0.95 | 3/5 Years |



| Model      | Watt | Size          | Lumens   | Voltage   | CCT         | Material |
|------------|------|---------------|----------|-----------|-------------|----------|
| YL601-50W  | 50W  | 295*266*68MM  | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-100W | 100W | 346*314*101MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-200W | 200W | 409*372*104MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-300W | 300W | 490*481*107MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-400W | 400W | 595*473*110MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-500W | 500W | 704*473*117MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL601-600W | 600W | 804*473*119MM | ≥110LM/W | 85-265VAC | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens   | Voltage   | CCT         | Material |
|------------|------|--------------|----------|-----------|-------------|----------|
| YL608-50W  | 50W  | 258*206*66MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-100W | 100W | 306*246*68MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-200W | 200W | 416*355*75MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-300W | 300W | 441*345*80MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-400W | 400W | 517*345*87MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-500W | 500W | 622*345*87MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |
| YL608-600W | 600W | 725*345*87MM | ≥100LM/W | 85-265VAC | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens     | Driver     | CCT         | Material |
|------------|------|--------------|------------|------------|-------------|----------|
| YL604-10W  | 10W  | 100*80*32MM  | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-20W  | 20W  | 118*95*32MM  | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-30W  | 30W  | 160*120*32MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-50W  | 50W  | 205*160*32MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-100W | 100W | 270*210*32MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-150W | 150W | 320*230*32MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-200W | 200W | 380*280*35MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-300W | 300W | 440*280*35MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |
| YL604-400W | 400W | 460*330*45MM | 90-100LM/W | Linear/DOB | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens     | Driver | CCT         | Material |
|------------|------|--------------|------------|--------|-------------|----------|
| YL612-30W  | 30W  | 182*159*29MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL612-50W  | 50W  | 219*184*29MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL612-100W | 100W | 274*238*29MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL612-150W | 150W | 293*272*31MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL612-200W | 200W | 344*316*31MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens     | Driver        | CCT         | Material |
|------------|------|--------------|------------|---------------|-------------|----------|
| YL613-50W  | 50W  | 225*190*40MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL613-100W | 100W | 270*230*40MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL613-150W | 150W | 325*263*40MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL613-200W | 200W | 375*305*40MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens     | Driver        | CCT         | Material |
|------------|------|--------------|------------|---------------|-------------|----------|
| YL614-30W  | 30W  | 195*172*30MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL614-50W  | 50W  | 225*200*30MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL614-100W | 100W | 255*270*30MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL614-150W | 150W | 300*285*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL614-200W | 200W | 325*305*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |




| Model          | Watt | Size         | Lumens     | LED Chip | CCT         | Material |
|----------------|------|--------------|------------|----------|-------------|----------|
| YL616-COB-50W  | 50W  | 175*205*40CM | 90-100LM/W | COB      | 3000K-6500K | Aluminum |
| YL616-COB-100W | 100W | 210*240*50CM | 90-100LM/W | COB      | 3000K-6500K | Aluminum |
| YL616-COB-200W | 200W | 255*285*60CM | 90-100LM/W | COB      | 3000K-6500K | Aluminum |
| YL616-COB-300W | 300W | 310*345*60CM | 90-100LM/W | COB      | 3000K-6500K | Aluminum |
| YL616-COB-400W | 400W | 370*420*60CM | 90-100LM/W | COB      | 3000K-6500K | Aluminum |



| Model          | Watt | Size         | Lumens     | LED Chip | CCT         | Material |
|----------------|------|--------------|------------|----------|-------------|----------|
| YL616-SMD-50W  | 50W  | 175*205*40CM | 90-100LM/W | SMD      | 3000K-6500K | Aluminum |
| YL616-SMD-100W | 100W | 210*240*50CM | 90-100LM/W | SMD      | 3000K-6500K | Aluminum |
| YL616-SMD-200W | 200W | 255*285*60CM | 90-100LM/W | SMD      | 3000K-6500K | Aluminum |
| YL616-SMD-300W | 300W | 310*345*60CM | 90-100LM/W | SMD      | 3000K-6500K | Aluminum |
| YL616-SMD-400W | 400W | 370*420*60CM | 90-100LM/W | SMD      | 3000K-6500K | Aluminum |



| Model      | Watt | Size          | IP Grade   | Driver | CCT         | Material |
|------------|------|---------------|------------|--------|-------------|----------|
| YL618-10W  | 10W  | 110*90*24MM   | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-20W  | 20W  | 123*94*24MM   | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-30W  | 30W  | 123*148*24MM  | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-50W  | 50W  | 176*1352*25MM | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-100W | 100W | 241*185*25MM  | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-150W | 150W | 300*224*25MM  | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |
| YL618-200W | 200W | 350*225*25MM  | 90-100LM/W | DOB    | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | Lumens     | LED Chip      | CCT         | Material |
|------------|------|--------------|------------|---------------|-------------|----------|
| YL625-50W  | 50W  | 200*200*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL625-100W | 100W | 250*250*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL625-150W | 150W | 300*300*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL625-200W | 200W | 330*330*35MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |



| Model      | Watt | Size         | IP Grade   | Driver        | CCT         | Material |
|------------|------|--------------|------------|---------------|-------------|----------|
| YL626-50W  | 50W  | 195*225*48MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-100W | 100W | 245*275*48MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-200W | 200W | 355*315*75MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-300W | 300W | 375*425*80MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-400W | 400W | 525*410*80MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-500W | 500W | 605*410*80MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |
| YL626-600W | 600W | 710*410*90MM | 90-100LM/W | Non-isolation | 3000K-6500K | Aluminum |



| Model       | Watt  | Size          | Battery      | Discharging time | Material |
|-------------|-------|---------------|--------------|------------------|----------|
| YL631-50W   | 50W   | 230*200*100MM | 3.2V 5Ah     | 100% 8H/50% 16H  | Aluminum |
| YL631-100W  | 100W  | 240*115*310MM | 3.2V 10Ah    | 100% 8H/50% 16H  | Aluminum |
| YL631-100WS | Solar | 260*115*340MM | 3.2V 10Ah    | 100% 8H/50% 16H  | Aluminum |
| YL631-200W  | 200W  | 290*98*310MM  | 6.4V 7.5Ah   | 100% 8H/50% 16H  | Aluminum |
| YL631-200WS | Solar | 320*115*345MM | 6.4V 8Ah     | 100% 8H/50% 16H  | Aluminum |
| YL631-300W  | 300W  | 310*120*335MM | 6.4V 15Ah    | 100% 8H/50% 16H  | Aluminum |
| YL631-400W  | 400W  | 490*155*510MM | 6.4V 24Ah    | 100% 8H/50% 16H  | Aluminum |
| YL631-800W  | 800W  | 490*155*510MM | 14.8V 26.4Ah | 100% 8H/50% 16H  | Aluminum |



| Model       | Watt  | Size          | IP Grade   | Driver                  | Material |
|-------------|-------|---------------|------------|-------------------------|----------|
| YL627-50W   | 50W   | 241*201*58MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-100W  | 100W  | 297*246*75MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-150W  | 150W  | 343*297*65MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-200W  | 200W  | 343*297*65MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-300W  | 300W  | 420*315*75MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-400W  | 400W  | 528*346*85MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-500W  | 500W  | 628*357*87MM  | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-600W  | 600W  | 832*360*100MM | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-800W  | 800W  | 970*360*100MM | 90-100LM/W | Non-isolation/Isolation | Aluminum |
| YL627-1000W | 1000W | 970*360*100MM | 90-100LM/W | Non-isolation/Isolation | Aluminum |



| Model    | Height | Size           | PCs/CTN | Carton size  | Material |
|----------|--------|----------------|---------|--------------|----------|
| YL632-1M | 1M     | 630*120*120MM  | 10      | 65*63*26.5CM | Iron     |
| YL632-2M | 2M     | 765*100*100MM  | 6       | 78*22*32.5CM | Iron     |
| YL632-3M | 3M     | 1340*115*130MM | S       | 135*25*28CM  | Iron     |



| Model      | Watt | Lamp size    | Battery    | Solar Panel | Panel Size   | Material     |
|------------|------|--------------|------------|-------------|--------------|--------------|
| YL811-30W  | 30W  | 160*130*50MM | 3. 2V 3AH  | 6V 3W       | 215*130*17MM | ABS/Aluminum |
| YL811-40W  | 40W  | 190*150*62MM | 3. 2V 5AH  | 6V 6W       | 270*180*17MM | ABS/Aluminum |
| YL811-50W  | 50W  | 240*180*83MM | 3. 2V 6AH  | 6V 10W      | 235*350*17MM | ABS/Aluminum |
| YL811-100W | 100W | 260*200*83MM | 3. 2V 10AH | 6V 12W      | 290*350*17MM | ABS/Aluminum |
| YL811-200W | 200W | 300*240*83MM | 3. 2V 15AH | 6V 18W      | 350*400*17MM | ABS/Aluminum |
| YL811-300W | 300W | 360*298*83MM | 3. 2V 20AH | 6V 20W      | 350*450*17MM | ABS/Aluminum |



| Model      | Watt | Lamp size    | Battery    | Solar Panel | Panel Size   | Material |
|------------|------|--------------|------------|-------------|--------------|----------|
| YL819-50W  | 50W  | 195*152*40MM | 3. 2V 6AH  | 6V 10W      | 235*350*17MM | Aluminum |
| YL819-100W | 100W | 230*172*40MM | 3. 2V 9AH  | 6V 12W      | 290*350*17MM | Aluminum |
| YL819-200W | 200W | 267*190*45MM | 3. 2V 15AH | 6V 18W      | 350*400*17MM | Aluminum |
| YL819-300W | 300W | 305*208*45MM | 3. 2V 18AH | 6V 20W      | 350*450*17MM | Aluminum |



| Model      | Watt | Lamp size    | Battery    | Solar Panel | Panel Size   | Material     |
|------------|------|--------------|------------|-------------|--------------|--------------|
| YL814-25W  | 25W  | 193*146*50MM | 3. 2V 4AH  | 6V 6W       | 175*265*17MM | ABS/Aluminum |
| YL814-40W  | 40W  | 227*180*50MM | 3. 2V 6AH  | 6V 10W      | 230*340*17MM | ABS/Aluminum |
| YL814-60W  | 60W  | 255*208*65MM | 3. 2V 10AH | 6V 12W      | 290*350*17MM | ABS/Aluminum |
| YL814-100W | 100W | 300*250*75MM | 3. 2V 15AH | 6V 15W      | 350*350*17MM | ABS/Aluminum |
| YL814-200W | 200W | 335*270*80MM | 3. 2V 20AH | 6V 25W      | 350*450*17MM | ABS/Aluminum |
| YL814-300W | 300W | 397*310*85MM | 3. 2V 24AH | 6V 25W      | 350*530*17MM | ABS/Aluminum |




| Model      | Watt | Lamp size    | Battery    | Solar Panel | Panel Size   | Material |
|------------|------|--------------|------------|-------------|--------------|----------|
| YL820-50W  | 50W  | 240*190*65MM | 3. 2V 6AH  | 6V 10W      | 235*350*17MM | ABS      |
| YL820-100W | 100W | 280*220*65MM | 3. 2V 10AH | 6V 12W      | 290*350*17MM | ABS      |
| YL820-200W | 200W | 330*260*65MM | 3. 2V 12AH | 6V 15W      | 350*350*17MM | ABS      |
| YL820-300W | 300W | 390*300*65MM | 3. 2V 18AH | 6V 20W      | 350*450*17MM | ABS      |



| Model      | Watt | Lamp size    | Battery   | Solar Panel | Panel Size   | Material |
|------------|------|--------------|-----------|-------------|--------------|----------|
| YL821-25W  | 25W  | 176*209*50MM | 3.2V 4AH  | 6V 6W       | 175*265*17MM | ABS      |
| YL821-40W  | 40W  | 219*253*60MM | 3.2V 6AH  | 6V 10W      | 235*350*17MM | ABS      |
| YL821-60W  | 60W  | 240*275*64MM | 3.2V 10AH | 6V 12W      | 290*350*17MM | ABS      |
| YL821-100W | 100W | 324*280*73MM | 3.2V 15AH | 6V 15W      | 350*350*17MM | ABS      |
| YL821-200W | 200W | 356*305*73MM | 3.2V 20AH | 6V 20W      | 350*450*17MM | ABS      |



| Model      | Watt | Lamp size    | Battery   | Solar Panel | Function      | Material |
|------------|------|--------------|-----------|-------------|---------------|----------|
| YL825-60W  | 60W  | 169*157*65MM | 3.2V 5AH  | 6V 6W       | Motion sensor | ABS      |
| YL825-100W | 100W | 210*208*65MM | 3.2V 8AH  | 6V 10W      | Motion sensor | ABS      |
| YL825-200W | 200W | 239*235*65MM | 3.2V 12AH | 6V 15W      | Motion sensor | ABS      |
| YL825-300W | 300W | 340*252*65MM | 3.2V 18AH | 6V 20W      | Motion sensor | ABS      |



| Model       | Watt  | Lamp size    | Battery   | Solar Panel | Panel Size   | Material |
|-------------|-------|--------------|-----------|-------------|--------------|----------|
| YL826-100W  | 100W  | 345*268*81MM | 3.2V 20AH | 6V 30W      | 530*350*17MM | Aluminum |
| YL826-200W  | 200W  | 345*268*81MM | 3.2V 25AH | 6V 35W      | 600*350*17MM | Aluminum |
| YL826-300W  | 300W  | 415*327*81MM | 3.2V 35AH | 6V 45W      | 700*350*17MM | Aluminum |
| YL826-500W  | 500W  | 415*327*81MM | 3.2V 45AH | 6V 50W      | 670*445*17MM | Aluminum |
| YL826-1000W | 1000W | 510*360*81MM | 3.2V 50AH | 6V 70W      | 670*535*17MM | Aluminum |



| Model      | Watt | Lamp size  | Battery   | Solar Panel | Panel Size   | Material |
|------------|------|------------|-----------|-------------|--------------|----------|
| YL822-60W  | 60W  | D200*H80MM | 3.2V 2AH  | 6V 3W       | 215*130*17MM | ABS      |
| YL822-120W | 120W | D240*H10MM | 3.2V 5AH  | 6V 6W       | 270*180*17MM | ABS      |
| YL822-200W | 200W | D280*H11MM | 3.2V 8AH  | 6V 10W      | 235*350*17MM | ABS      |
| YL822-300W | 300W | D320*H12MM | 3.2V 10AH | 6V 12W      | 290*350*17MM | ABS      |
| YL822-400W | 400W | D360*H12MM | 3.2V 15AH | 6V 15W      | 350*350*17MM | ABS      |



| Model            | YL715-50W                                                      | YL715-100W    | YL715-150W    | YL715-200W    |
|------------------|----------------------------------------------------------------|---------------|---------------|---------------|
| Watt             | 50W                                                            | 100W          | 150W          | 200W          |
| Product size     | 535*210*110MM                                                  | 605*265*110MM | 710*265*110MM | 760*280*110MM |
| Number of LED    | 64 PCS                                                         | 112 PCS       | 184 PCS       | 216 PCS       |
| LED brand        | Philips 2835 -180LM/W                                          |               |               |               |
| Driver           | SUNCOM SCP series / 5 Years Warranty                           |               |               |               |
| Surge            | 6KV/10KV                                                       |               |               |               |
| PF               | ≥0.95                                                          |               |               |               |
| Material         | Die-cast aluminum                                              |               |               |               |
| Volltage         | 85-277VAC                                                      |               |               |               |
| CCT              | 3000K/6500K(Default 6500K)                                     |               |               |               |
| Light efficiency | 150LM/W                                                        |               |               |               |
| Warranty period  | 5 Years                                                        |               |               |               |
| Certification    | CE/ROHS/EMC/CB, Saudi Arabia SAS02927 street lamp new standard |               |               |               |
| Customization    | Face frame/surge(10KV)/switch breaker/PIN light sense+base     |               |               |               |



|                  | YL714-50W                                                      | YL714-100W     | YL714-150W   | YL714-200W   |
|------------------|----------------------------------------------------------------|----------------|--------------|--------------|
| Watt             | 50W                                                            | 100W           | 150W         | 200W         |
| Product size     | 200*430*89MM                                                   | 280*510*94.5MM | 280*560*95MM | 280*610*95MM |
| Number of LED    | 64pcs                                                          | 114pcs         | 192pcs       | 240pcs       |
| LED brand        | Philips 2835 180lm/w or San 'an 3030 200lm/w                   |                |              |              |
| Driver           | Isolation (3 year warranty)/SUNCOM SCP series 5 year warranty) |                |              |              |
| Surge            | 6KV/10KV                                                       |                |              |              |
| PF               | ≥0.95                                                          |                |              |              |
| Material         | Die-cast aluminum                                              |                |              |              |
| Volltage         | 85-277VAC                                                      |                |              |              |
| CCT              | 3000K/6500K(Default 6500K)                                     |                |              |              |
| Light efficiency | 150LM/W                                                        |                |              |              |
| Warranty period  | 3/5 years                                                      |                |              |              |
| Certification    | CE/ROHS/EMC/CB, Saudi Arabia SAS02927 street lamp new standard |                |              |              |
| Customization    | Face frame/surge(10KV)/switch breaker/PIN light sense+base     |                |              |              |



| Model      | Watt | Actual Watt | Size        | Voltage   | Driver    | Warranty  |
|------------|------|-------------|-------------|-----------|-----------|-----------|
| YL717-200W | 200W | full watt   | 61*36.5*6CM | 85-265VAC | Isolation | 3/5 Years |
| YL717-300W | 300W | full watt   | 70*36.5*6CM | 85-265VAC | Isolation | 3/5 Years |
| YL717-400W | 400W | full watt   | 80*36.5*6CM | 85-265VAC | Isolation | 3/5 Years |
| YL717-500W | 500W | full watt   | 90*36*6CM   | 85-265VAC | Isolation | 3/5 Years |



| Model       | Watt | Actual Watt | Size       | Voltage   | Weight | Driver    |
|-------------|------|-------------|------------|-----------|--------|-----------|
| YL704A-50W  | 50W  | full watt   | 50*23*8CM  | 85-277VAC | 0.9KG  | Isolation |
| YL704A-100W | 100W | full watt   | 72*28*8CM  | 85-277VAC | 2.0KG  | Isolation |
| YL704A-150W | 150W | full watt   | 86*33*8CM  | 85-277VAC | 2.9KG  | Isolation |
| YL704A-200W | 200W | full watt   | 95*35*8CM  | 85-277VAC | 4KG    | Isolation |
| YL704A-250W | 250W | full watt   | 110*33*8CM | 85-277VAC | 5KG    | Isolation |



| Model      | Watt | PF    | Size            | Voltage    | CCT                         |
|------------|------|-------|-----------------|------------|-----------------------------|
| YL718-50W  | 100W | ≥0.95 | 48.9*22.2*8.5CM | 100-270VAC | 0-10V Dimming/Light Control |
| YL718-100W | 150W | ≥0.95 | 48.9*22.2*8.5CM | 100-270VAC | 0-10V Dimming/Light Control |
| YL718-150W | 200W | ≥0.95 | 55.9*26.4*8.5CM | 100-270VAC | 0-10V Dimming/Light Control |
| YL718-200W | 240W | ≥0.95 | 63.4*29.0*8.5CM | 100-270VAC | 0-10V Dimming/Light Control |



| Model       | Watt | Actual Watt | Size          | Voltage   | Weight | Driver        |
|-------------|------|-------------|---------------|-----------|--------|---------------|
| YL704C-50W  | 50W  | ≥75% Watt   | 43.5*18*6.3CM | 85-277VAC | 0.79KG | Non-isolation |
| YL704C-100W | 100W | ≥75% Watt   | 62*24*7.4CM   | 85-277VAC | 1.6KG  | Non-isolation |
| YL704C-150W | 150W | ≥75% Watt   | 72*24*7.4CM   | 85-277VAC | 2.2KG  | Non-isolation |
| YL704C-200W | 200W | ≥75% Watt   | 85*30*7.4CM   | 85-277VAC | 3.1KG  | Non-isolation |



| Model       | Watt | Actual Watt | Size            | Voltage    | N. W   | Driver     |
|-------------|------|-------------|-----------------|------------|--------|------------|
| YL704D-50W  | 50W  | ≥90% Watt   | 35.5*16*7.2CM   | 110-265VAC | 0.7KG  | DOB/linear |
| YL704D-100W | 100W | ≥90% Watt   | 46.5*17.5*7.2CM | 110-265VAC | 1.1KG  | DOB/linear |
| YL704D-150W | 150W | ≥90% Watt   | 57.5*20.5*7.2CM | 110-265VAC | 1.45KG | DOB/linear |
| YL704D-200W | 200W | ≥90% Watt   | 68*22*7.2CM     | 110-265VAC | 1.95KG | DOB/linear |
| YL704D-250W | 250W | ≥90% Watt   | 78.5*24*7.2CM   | 110-265VAC | 2.3KG  | DOB/linear |
| YL704D-300W | 350W | ≥90% Watt   | 88.5*26.5*7.2CM | 110-265VAC | 2.9KG  | DOB/linear |






| Model      | Watt | PF    | Size      | Voltage   | Weight | Driver    |
|------------|------|-------|-----------|-----------|--------|-----------|
| YL705-50W  | 50W  | ≥0.95 | 50*25*5CM | 85-265VAC | 1.63KG | Isolation |
| YL705-100W | 100W | ≥0.95 | 54*25*6CM | 85-265VAC | 2.28KG | Isolation |
| YL705-150W | 150W | ≥0.95 | 60*26*6CM | 85-265VAC | 2.82KG | Isolation |
| YL705-200W | 200W | ≥0.95 | 70*29*7CM | 85-265VAC | 4.12KG | Isolation |



| Model      | Watt | PF    | Size          | Voltage   | IP Grade | CCT        |
|------------|------|-------|---------------|-----------|----------|------------|
| YL706-30W  | 30W  | ≥0.92 | 49.5*21*5CM   | 85-265VAC | IP65     | 3000-6500K |
| YL706-50W  | 50W  | ≥0.92 | 49.5*21*5CM   | 85-265VAC | IP65     | 3000-6500K |
| YL706-100W | 100W | ≥0.92 | 54*25*5CM     | 85-265VAC | IP65     | 3000-6500K |
| YL706-120W | 120W | ≥0.92 | 60*26*6CM     | 85-265VAC | IP65     | 3000-6500K |
| YL706-200W | 150W | ≥0.92 | 70*28.5*6.8CM | 85-265VAC | IP65     | 3000-6500K |
| YL706-250W | 200W | ≥0.92 | 70*28.5*6.8CM | 85-265VAC | IP65     | 3000-6500K |



| Model      | Watt | PF    | Size            | Voltage   | LED qty     | Driver    |
|------------|------|-------|-----------------|-----------|-------------|-----------|
| YL711-50W  | 50W  | ≥0.92 | 40*17.5*7.5CM   | 85-265VAC | 72pcs 3030  | Isolation |
| YL711-100W | 100W | ≥0.92 | 47*20.8*7.5CM   | 85-265VAC | 150pcs 3030 | Isolation |
| YL711-150W | 150W | ≥0.92 | 54.2*22.8*7.5CM | 85-265VAC | 200pcs 3030 | Isolation |
| YL711-200W | 200W | ≥0.92 | 61.5*25.4*7.5CM | 85-265VAC | 250pcs 3030 | Isolation |





Strong performance high quality chip


Gentle and even light without glare



| Model        | Watt | Size          | Battery    | Solar Panel | LED qty     | Material |
|--------------|------|---------------|------------|-------------|-------------|----------|
| YL-XC01-120W | 120W | 783*396*95MM  | 3. 2V 36AH | 6V 45W      | 120PCS 3030 | Aluminum |
| YL-XC01-160W | 160W | 948*396*95MM  | 3. 2V 48AH | 6V 55W      | 160PCS 3030 | Aluminum |
| YL-XC01-200W | 200W | 1100*396*95MM | 3. 2V 60AH | 6V 65W      | 200PCS 3030 | Aluminum |
| YL-XC01-240W | 240W | 1200*396*95MM | 3. 2V 70AH | 6V 75W      | 240PCS 3030 | Aluminum |
| YL-XC01-320W | 320W | 1423*396*95MM | 3. 2V 90AH | 6V 95W      | 320PCS 3030 | Aluminum |



Longer Sensing Distance and Wider Sensor Angle



| Model        | Watt | Size          | Battery     | Solar Panel | LED qty     | Material |
|--------------|------|---------------|-------------|-------------|-------------|----------|
| YL-XC03-100W | 100W | 627*375*50MM  | 3. 2V 40AH  | 6V 50W      | 100PCS 3030 | Aluminum |
| YL-XC03-150W | 150W | 717*357*50MM  | 3. 2V 50AH  | 6V 60W      | 150PCS 3030 | Aluminum |
| YL-XC03-200W | 200W | 862*357*50MM  | 3. 2V 60AH  | 6V 70W      | 200PCS 3030 | Aluminum |
| YL-XC03-250W | 250W | 1273*357*50MM | 3. 2V 80AH  | 6V 80W      | 250PCS 3030 | Aluminum |
| YL-XC03-300W | 300W | 1437*357*50MM | 3. 2V 100AH | 6V 100W     | 300PCS 3030 | Aluminum |



| Model        | Watt | Size          | Battery    | Solar Panel | LED qty     | Material |
|--------------|------|---------------|------------|-------------|-------------|----------|
| YL-XC02-100W | 100W | 715*350*60MM  | 3. 2V 36AH | 6V 40W      | 100PCS 3030 | Aluminum |
| YL-XC02-150W | 150W | 915*350*60MM  | 3. 2V 45AH | 6V 50W      | 150PCS 3030 | Aluminum |
| YL-XC02-200W | 200W | 1085*350*60MM | 3. 2V 60AH | 6V 60W      | 200PCS 3030 | Aluminum |
| YL-XC02-250W | 250W | 1215*350*60MM | 3. 2V 70AH | 6V 70W      | 250PCS 3030 | Aluminum |



| Model        | Watt | Size           | Battery    | Solar Panel | LED qty  | Material |
|--------------|------|----------------|------------|-------------|----------|----------|
| YL-YL02-200W | 200W | 700*350*150MM  | 3. 2V 35AH | 6V 40W      | 60*2 PCS | Aluminum |
| YL-YL02-300W | 300W | 887*400*280MM  | 3. 2V 55AH | 6V 60W      | 60*3 PCS | Aluminum |
| YL-YL02-400W | 400W | 1160*400*280MM | 3. 2V 70AH | 18V 80W     | 60*4 PCS | Aluminum |
| YL-YL02-500W | 500W | 1435*400*280MM | 3. 2V 90AH | 18V 100W    | 60*5 PCS | Aluminum |



| Model        | Watt | Size          | Battery   | Solar Panel | LED qty | Material |
|--------------|------|---------------|-----------|-------------|---------|----------|
| YL-XC06-100W | 100W | 700*220*50MM  | 3.2V 25AH | 6V 28W      | 160PCS  | Aluminum |
| YL-XC06-150W | 150W | 900*220*50MM  | 3.2V 30AH | 6V 35W      | 240PCS  | Aluminum |
| YL-XC06-200W | 200W | 1070*220*50MM | 3.2V 35AH | 6V 40W      | 320PCS  | Aluminum |
| YL-XC06-250W | 250W | 1200*220*50MM | 3.2V 40AH | 6V 45W      | 400PCS  | Aluminum |



| Model      | Watt | Size         | Battery   | Solar Panel | LED qty | Material      |
|------------|------|--------------|-----------|-------------|---------|---------------|
| YL-YS-100W | 100W | 500*210*80MM | 3.2V 10AH | 6V 12W      | 196pcs  | Aluminum/iron |
| YL-YS-150W | 150W | 500*210*80MM | 3.2V 12AH | 6V 15W      | 308pcs  | Aluminum/iron |
| YL-YS-200W | 200W | 500*210*80MM | 3.2V 15AH | 6V 18W      | 308pcs  | Aluminum/iron |
| YL-YS-300W | 300W | 500*210*80MM | 3.2V 18AH | 6V 20W      | 513pcs  | Aluminum/iron |
| YL-JD-150W | 150W | 500*210*80MM | 3.2V 12AH | 6V 15W      | 203pcs  | Aluminum/iron |
| YL-JD-200W | 200W | 500*210*80MM | 3.2V 15AH | 6V 18W      | 254pcs  | Aluminum/iron |
| YL-JD-300W | 300W | 500*210*80MM | 3.2V 18AH | 6V 20W      | 385pcs  | Aluminum/iron |



| Model        | Watt | Size         | Battery | Solar Panel | LED qty | Material |
|--------------|------|--------------|---------|-------------|---------|----------|
| YL-HF01-150W | 150W | 520*200*90MM | 6V 28W  | 3.2V 24AH   | 104PCS  | Aluminum |
| YL-HF01-200W | 200W | 520*200*90MM | 6V 35W  | 3.2V 30AH   | 144PCS  | Aluminum |



| Model      | Watt  | Size         | Battery   | Solar Panel | LED qty    | Material |
|------------|-------|--------------|-----------|-------------|------------|----------|
| YL908-3000 | 3000W | 845*304*64MM | 3.2V 30AH | 6V 35W      | 5054/75PCS | ABS      |



| Model       | Watt  | Size         | Battery    | Solar Panel | LED qty     | Material |
|-------------|-------|--------------|------------|-------------|-------------|----------|
| YL909-1000W | 1000W | 924*354*9MM  | 3. 2V 50AH | 6V 60W      | 5054*144PCS | ABS      |
| YL909-1500W | 1500W | 1123*354*9MM | 3. 2V 60AH | 6V 70W      | 5054*192PCS | ABS      |
| YL909-2000W | 2000W | 1323*354*9MM | 3. 2V 70AH | 6V 80W      | 5054*240PCS | ABS      |



| Model      | Watt | Size         | Battery      | Solar Panel | LED qty      | Material |
|------------|------|--------------|--------------|-------------|--------------|----------|
| YL910-100W | 100W | 412*195*54MM | 3. 2V 4. 5AH | 6V 6W       | 5054*72PCS   | ABS      |
| YL910-200W | 200W | 502*210*58MM | 3. 2V 6AH    | 6V 8W       | 5054*1202PCS | ABS      |
| YL910-300W | 300W | 600*220*58MM | 3. 2V 15AH   | 6V 17W      | 5054*144PCS  | ABS      |
| YL910-500W | 500W | 700*355*64MM | 3. 2V 25AH   | 6V 30W      | 5054*216PCS  | ABS      |



| Model      | Watt | Size         | Battery    | Solar Panel | LED qty | Accessories |
|------------|------|--------------|------------|-------------|---------|-------------|
| YL911-180W | 180W | 413*365*60MM | 3. 2V 15AH | 6V 15W      | 360PCS  | Lamp arm    |
| YL911-240W | 240W | 503*365*60MM | 3. 2V 20AH | 6V 20W      | 480PCS  | Lamp arm    |
| YL911-300W | 300W | 593*365*60MM | 3. 2V 25AH | 6V 28W      | 600PCS  | Lamp arm    |



| Model      | Watt | Size      | Battery    | Solar Panel | LED qty     | Material |
|------------|------|-----------|------------|-------------|-------------|----------|
| YL912-100W | 100W | 597*27*55 | 3. 2V 10AH | 6V 13W      | 5730*216PCS | ABS      |
| YL912-200W | 200W | 672*27*55 | 3. 2V 15AH | 6V 18W      | 5730*288PCS | ABS      |
| YL912-300W | 300W | 745*27*55 | 3. 2V 18AH | 6V 24W      | 5730*360PCS | ABS      |



| Model      | Watt | Size         | Battery    | Solar Panel | LED qty | Material |
|------------|------|--------------|------------|-------------|---------|----------|
| YL901-30W  | 30W  | 390*200*70MM | 3.2V 4AH   | 6V 7W       | 48PCS   | ABS      |
| YL901-60W  | 60W  | 500*240*80MM | 3.2V 5.5AH | 6V 9W       | 96PCS   | ABS      |
| YL901-90W  | 90W  | 640*250*80MM | 3.2V 9AH   | 6V 13W      | 114PCS  | ABS      |
| YL901-120W | 120W | 720*250*80MM | 3.2V 12AH  | 6V 15W      | 192PCS  | ABS      |
| YL901-150W | 150W | 820*250*80MM | 3.2V 18AH  | 6V 20W      | 240PCS  | ABS      |



| Model      | Watt | Size         | Battery   | Solar Panel | LED qty | Material |
|------------|------|--------------|-----------|-------------|---------|----------|
| YL902-100W | 100W | 565*220*70MM | 3.2V 8AH  | 6V 10W      | 384PCS  | ABS      |
| YL902-200W | 200W | 640*220*70MM | 3.2V 12AH | 6V 14W      | 480PCS  | ABS      |
| YL902-300W | 300W | 720*220*70MM | 3.2V 15AH | 6V 18W      | 576PCS  | ABS      |



| Model       | Watt  | Size        | Battery   | Solar Panel | LED qty | Material |
|-------------|-------|-------------|-----------|-------------|---------|----------|
| YL903-600W  | 600W  | 453*35*80MM | 3.2V 10AH | 6V 15W      | 480PCS  | ABS      |
| YL903-800W  | 800W  | 605*35*80MM | 3.2V 18AH | 6V 25W      | 640PCS  | ABS      |
| YL903-1000W | 1000W | 683*35*80MM | 3.2V 22AH | 6V 30W      | 800PCS  | ABS      |



| Model      | Watt | Size         | Battery | Solar Panel | LED qty | Material |
|------------|------|--------------|---------|-------------|---------|----------|
| YL905-100W | 100W | 635*342*62MM | 6V 25W  | 3.2V 20AH   | 120PCS  | ABS      |
| YL905-200W | 200W | 725*342*62MM | 6V 30W  | 3.2V 25AH   | 180PCS  | ABS      |
| YL905-300W | 300W | 815*342*75MM | 6V 35W  | 3.2V 30AH   | 240PCS  | ABS      |



| Model      | Watt | Size         | Battery   | Solar Panel | LED qty | Material |
|------------|------|--------------|-----------|-------------|---------|----------|
| YL906-60W  | 60W  | 485*220*68MM | 3.2V 6AH  | 6V 10W      | 270PCS  | ABS      |
| YL906-90W  | 90W  | 595*238*68MM | 3.2V 10AH | 6V 13W      | 360PCS  | ABS      |
| YL906-120W | 120W | 695*243*68MM | 3.2V 15AH | 6V 18W      | 450PCS  | ABS      |



| Model      | Watt | Size         | Battery   | Solar Panel | Feature     | Material |
|------------|------|--------------|-----------|-------------|-------------|----------|
| YL907-100W | 100W | 485*229*70MM | 3.2V 15AH | 6V 9W       | Dual Camera | ABS      |
| YL907-200W | 200W | 580*385*85MM | 3.2V 20AH | 6V 22W      | Dual Camera | ABS      |



| Model         | Watt  | Size        | Battery   | Solar Panel | LED qty | Material |
|---------------|-------|-------------|-----------|-------------|---------|----------|
| YL-TY02-800W  | 800W  | D550*H115MM | 3.2V 15AH | 6V 20W      | 504PCS  | ABS      |
| YL-TY02-900W  | 900W  | D550*H115MM | 3.2V 18AH | 6V 20W      | 672PCS  | ABS      |
| YL-TY02-1000W | 1000W | D550*H115MM | 3.2V 20AH | 6V 20W      | 768PCS  | ABS      |



| Model         | Watt  | Size       | Battery   | Solar Panel | LED qty | Material |
|---------------|-------|------------|-----------|-------------|---------|----------|
| YL-TY04-1000W | 1000W | D550*H69MM | 3.2V 18AH | 6V 20W      | 1200PCS | ABS      |



| Model         | Watt  | Size        | Battery    | Solar Panel | LED qty | Material |
|---------------|-------|-------------|------------|-------------|---------|----------|
| YL-TY05-600W  | 600W  | D420*H125MM | 3. 2V 12AH | 6V 15W      | 240PCS  | ABS      |
| YL-TY05-1000W | 1000W | D550*H125MM | 3. 2V 18AH | 6V 20W      | 400PCS  | ABS      |



| Model         | Watt  | Size          | Battery    | Solar Panel | LED qty     | Material |
|---------------|-------|---------------|------------|-------------|-------------|----------|
| YL-TY07-1000W | 1000W | 420*420*65MM  | 3. 2V 20AH | 6V 25W      | 200PCS*5054 | ABS      |
| YL-TY07-2000W | 2000W | 610*610*65 MM | 3. 2V 50AH | 6V 60W      | 480PCS*5054 | ABS      |




| Model         | Watt  | Size       | Battery    | Solar Panel | LED qty | Material |
|---------------|-------|------------|------------|-------------|---------|----------|
| YL-TY06-800W  | 800W  | D550*H60MM | 3. 2V 12AH | 6V 15W      | 300PCS  | ABS      |
| YL-TY06-1000W | 1000W | D610*H95MM | 3. 2V 20AH | 6V 25W      | 450PCS  | ABS      |



| Model         | Watt  | Size       | Battery    | Solar Panel | LED qty | Material |
|---------------|-------|------------|------------|-------------|---------|----------|
| YL-TY08-600W  | 600W  | D420*H65MM | 3. 2V 10AH | 6V 12W      | 216PCS  | ABS      |
| YL-TY08-800W  | 800W  | D550*H60MM | 3. 2V 12AH | 6V 15W      | 324PCS  | ABS      |
| YL-TY08-1000W | 1000W | D610*H95MM | 3. 2V 20AH | 6V 50W      | 450PCS  | ABS      |




| Model      | Watt | LED QTY     | Size       | Voltage    | Driver | Warranty |
|------------|------|-------------|------------|------------|--------|----------|
| YL501-100W | 100W | 2835*144PCS | Φ 235*26MM | 110-265VAC | DOB    | 2 Years  |
| YL501-150W | 150W | 2835*216PCS | Φ 270*26MM | 110-265VAC | DOB    | 2 Years  |
| YL501-200W | 200W | 2835*288PCS | Φ 330*26MM | 110-265VAC | DOB    | 2 Years  |
| YL501-300W | 300W | 2835*432PCS | Φ 400*32MM | 110-265VAC | DOB    | 2 Years  |



| Model      | Watt | LED QTY     | Size       | Voltage   | Driver | Warranty |
|------------|------|-------------|------------|-----------|--------|----------|
| YL502-100W | 100W | 2835*120PCS | Φ 260*34MM | 85-265VAC | DOB    | 2 Years  |
| YL502-150W | 150W | 2835*168PCS | Φ 302*34MM | 85-265VAC | DOB    | 2 Years  |
| YL502-200W | 200W | 2835*240PCS | Φ 332*34MM | 85-265VAC | DOB    | 2 Years  |
| YL502-300W | 300W | 2835*336PCS | Φ 362*34MM | 85-265VAC | DOB    | 2 Years  |
| YL502-400W | 400W | 2835*504PCS | Φ 392*34MM | 85-265VAC | DOB    | 2 Years  |



| Model      | Watt | LED QTY        | Size            | Type       | Driver     | Warranty |
|------------|------|----------------|-----------------|------------|------------|----------|
| YL504-100W | 100W | 2835/1W*112PCS | Φ 400*310MM (H) | Economical | Bare board | 2 Years  |
| YL504-150W | 150W | 2835/1W*168PCS | Φ 400*310MM (H) | Economical | Bare board | 2 Years  |
| YL504-200W | 200W | 2835/1W*224PCS | Φ 400*310MM (H) | Economical | Bare board | 2 Years  |
| YL504-300W | 300W | 2835/1W*336PCS | Φ 470*390MM (H) | Economical | Bare board | 2 Years  |



| Model      | Watt | LED QTY        | Size        | Type                     | Driver | Warranty |
|------------|------|----------------|-------------|--------------------------|--------|----------|
| YL505-100W | 100W | 2835/1W*125PCS | Φ 450*265MM | Engineering Glue filling |        | 3 Years  |
| YL505-150W | 150W | 2835/1W*200PCS | Φ 450*265MM | Engineering Glue filling |        | 3 Years  |
| YL505-200W | 200W | 2835/1W*250PCS | Φ 450*265MM | Engineering Glue filling |        | 3 Years  |
| YL505-250W | 250W | 2835/1W*300PCS | Φ 500*280MM | Engineering Glue filling |        | 3 Years  |
| YL505-300W | 300W | 2835/1W*350PCS | Φ 500*280MM | Engineering Glue filling |        | 3 Years  |



| Model      | Watt | LED QTY        | Size           | Type       | Driver     | Warranty |
|------------|------|----------------|----------------|------------|------------|----------|
| YL506-100W | 100W | 2835/1W*135PCS | Φ400*310MM (H) | Economical | Bare board | 2 Years  |
| YL506-150W | 150W | 2835/1W*189PCS | Φ400*310MM (H) | Economical | Bare board | 2 Years  |
| YL506-200W | 200W | 2835/1W*243PCS | Φ400*310MM (H) | Economical | Bare board | 2 Years  |
| YL506-300W | 300W | 2835/1W*350PCS | Φ470*390MM (H) | Economical | Bare board | 2 Years  |



| Model      | Watt | LED QTY        | Size           | Type                     | Driver | Warranty |
|------------|------|----------------|----------------|--------------------------|--------|----------|
| YL507-100W | 100W | 2835/1W*125PCS | Φ400*310MM (H) | Engineering Glue filling |        | 3 Years  |
| YL507-150W | 150W | 2835/1W*200PCS | Φ400*310MM (H) | Engineering Glue filling |        | 3 Years  |
| YL507-200W | 200W | 2835/1W*250PCS | Φ470*390MM (H) | Engineering Glue filling |        | 3 Years  |
| YL507-300W | 300W | 2835/1W*300PCS | Φ470*390MM (H) | Engineering Glue filling |        | 3 Years  |